

PORTABLE PROTECTION

AnteRoom Mobile Isolation

BUILT IN HEPA FILTRATION FOR
ICRA COMPLIANCE LEVELS I-V



Available in THREE Models, featuring Adapter Options, Upgrades and Accessories. Sets up in 5 minutes.

At HEPACART®, we strive to make equipment that provides the durability, safety and flexibility for work in a variety of containment projects. In reviewing the AnteRoom product line, choose the best size, adapter and options for your project.



Unit Sizes

AnteRoom 36

Includes isolation module, and stabilizers specializing in recessed 36" doors.

AnteRoom 48

Larger unit and our most popular model with contractors. Natively fits 48 in. doors.

AnteRoom 48 DD

Added door entry space for patient bed or large equipment. Our most popular model with facilities. Natively fits 48 in. doors



Multi-Functional

Renovation

Creates a temporary vestibule to keep dust in the workspace.

Pandemic / Surge Response

Converts a standard patient room into an isolated space.

**5-Minute
Set-Up |
Magnetically
Seals to
Door Frames**



Options

Adapters:

Reducers and extenders mount to the back of the AnteRoom module to fit nearly any size door.

Expanders

Add depth in 1 ft. and 2 ft. increments to provide additional space for donning and doffing.

Wall Applications

AnteRoom can also be configured to provide containment for wall projects.



**HEALTHCARE
FACILITIES**
symposium and expo

**Three Time
Award Winner**

**MOST INNOVATIVE
PRODUCT**

**MOST SUSTAINABLE
NEW PRODUCT**

BEST IN SHOW!

Standard Features of Every AnteRoom



Features

Magnetic sealing isolation module

Four integrated floor levelers.

Interchangeable flex-duct adapter and shut-off plate.



Electrical

Available in 120 v AC for North America / Japan.

240 v. model UKCA certified for the United Kingdom

LED lighting system illuminates the AnteRoom.



Exterior electrical plug powers the LED lighting and convenience outlets.



Durability

Fully-boxed aluminum frame floor.

Lightweight, unibody design. Assembled with aircraft-grade inserts and truss-head screws.

1

Ease of Use

Moves on 4 casters.



2

Tilts up into place.



3

Slides to the doorframe.



Mobility and Convenience



Four casters for moving from project to project
Installed magnehelic.

4

Worker completes work and exits room under negative air pressure.



5

Worker closes patient door and steps into the AnteRoom.



6

Worker closes room door, cleans the AnteRoom and themselves.



7

Worker exits the AnteRoom and closes door.



Available in Three Base Module Sizes



ANTEROOM 36



ANTEROOM 48



ANTEROOM 48 DD

Doors:

One main hinged door
Door opens to 34.5 in W x 81.5 in. H

Fit:

Natively to any 36" door.
Add extenders for larger door frames.

Working Dimensions:

39.5" in. W x 24 in. D x 85.5 in. H

Working Weight:

150 lbs

Unique Features:

Includes two stabilizers.
Reversible swinging door.
Magnehelic mounted internally.

Doors:

One main hinged door
Door opens to 34.5 in W x 81.5 in. H

Fit:

Natively to any 48" door.
Add extenders or reducers to accommodate larger/smaller door frames.

Working Dimensions:

51.5 in. W x 24 in. D x 85.5 in. H

Working Weight:

160 lbs

Unique Features:

Reversible swinging door.
Magnehelic mounted externally.

Doors:

One main hinged door
One lock-in-place hinged door
Doors open to 43 in W x 81.5 in. H

Fit:

Natively to any 48" door.
Add extenders or reducers to accommodate larger/smaller door frames.

Working Dimensions:

51.5 in. W x 24 in. D x 85.5 in. H

Working Weight:

160 lbs

Unique Features:

Second door opening allows for hospital beds or larger equipment.
Magnehelic mounted externally.

Add Options for Any Door Frame or Project

Fit Any Door Frame with Reducers or Expanders

36

ANTEROOM 36 ADAPTERS

Door	Frame	Adapter	Part#:
36"	40"	None	Standard Size
42"	46"	6"	HCAR3618-6E
44"	48"	8"	HCAR3618-8E
48"	52"	12"	HCAR3618-12E
52"	56"	16"	HCAR3618-16E
>80" T	All	Top	HCAR3618-TE

48

ANTEROOM 48 ADAPTERS

Door	Frame	Adapter	Part#:
36"	40"	6" (2)	HCAR4818 6RR 6LR
44"	48"	2" (2)	HCAR4818 4RR 4LR
48"	52"	None	Standard Size
52"	56"	5"	HCAR4818-5E
94" T	All	Top	HCAR4818-10HE
96" T	All	Top	HCAR4818-12HE



Add AnteRoom Depth with Extenders

36

Size

- 12" Extender
Part#: HCAR3618-12EXP
- 24" Extender
Part# HCAR3618-24EXP

Expand for more room in minutes in 12" and 24 increments.



48

Size

- 12" Extender
Part#: HCAR4818-12EXP
- 24" Extender
Part# HCAR4818-24EXP

Includes module with floor levelers and couplers.

Remove or Replace Door Frames

Portable Isolation for: Maintenance and Renovation Projects as Well as Infectious Disease Outbreaks

FRAME ADAPTER

To remove and service door frames.

Removable adapter seals around the door frame with foam.

Works with AnteRoom 48 models.

PART #: HCAR4818-DFA



AnteRoom Upgrade Options



KEYPAD LOCK SYSTEM

Digital programmable keypad with auto-lock and Elan levers.

PART #:HCAR-KCA



7-PIN LEVER LOCK SYSTEM

7-pin lock with heavy duty lever.

PART #:ARSFIC



DIGITAL PRESSURE MONITOR

Provides visible and audible alarms. Configurable to monitor negative air pressure.

PART #:ARRPM




AUTOMATIC DOOR CLOSER

Automatically closes the AnteRoom door upon entrance and exit.

PART #:ARCLOSE

AnteRoom Works with Wall Projects



FOAM SEAL

Wall foam kit magnetically attaches to the AnteRoom. Also works on non-magnetic door frames.

PART #: AR48-MWFK


AnteRoom Upgrade Accessories



NEGATIVE AIR MACHINE

Designed for compatibility with the AnteRoom product line. 99.99% HEPA and ETL-listed. Variable speed, fine-tuned air flow 50-1000cfm.

PART #:HFAIR1100



Mounted in AnteRoom

UV SURFACE DISINFECTION

Continuous, safe surface disinfection. Automatically deactivates when motion is detected.

PART #:UVFSC12W



Inside

UV DISINFECTION AND DUCTING SOLUTION

One UV lamp delivers the disinfecting power to inactivate virus and bacteria on a single pass. Diffuses and disinfects the air.

PART #:FUV.ADM.USH

ISO PACK and AnteRoom Configurations

Infectious Disease Surge Application COVID, TB, MERS, SARS, Influenza, Measles

The ISO-PACK includes:

The award-winning HEPACART® AnteRoom 48 Double Door AnteRoom

The HEPAFORCE® AIR 1100 Negative Air Machine with Medical Grade HEPA-Filter

The air disinfecting DUCTZONE with UVFORCE® Technology



Configurations and Components List



ANTEROOM
4 ft. W x 2 ft. D



ANTEROOM
4 ft. W x 3 ft. D



ANTEROOM
4 ft. W x 4 ft. D



ANTEROOM
4 ft. W x 5 ft. D

Description	Part/Model #
Isolation Module	ARDD-0002
Med-Grade HEPA NAM	HFAIR1100
2x Duct Kit with Clamps	HFACC-DUCL2
DUCTZONE Module - UV	FUV.ADM.USH

Description	Part/Model #
Isolation Module	ARDD-0002
12" Extension Module	HCAR4818-12EXP
Med-Grade HEPA NAM	HFAIR1100
2x Duct Kit with Clamps	HFACC-DUCL2
DUCTZONE Module - UV	FUV.ADM.USH

Description	Part/Model #
Isolation Module	ARDD-0002
24" Extension Module	HCAR4818-24EXP
Med-Grade HEPA NAM	HFAIR1100
2x Duct Kit with Clamps	HFACC-DUCL2
DUCTZONE Module - UV	FUV.ADM.USH

Description	Part/Model #
Isolation Module	ARDD-0002
12" Extension Module	HCAR4818-12EXP
24" Extension Module	HCAR4818-24EXP
Med-Grade HEPA NAM	HFAIR1100
2x Duct Kit with Clamps	HFACC-DUCL2
DUCTZONE Module - UV	FUV.ADM.USH

AnteRoom Models Guide



ANTEROOM 36 Models

SKU	CONFIGURATION
AR36-0001	AnteRoom 36 (Base Model)
AR36-0201	AnteRoom 36 with Lever Handle
AR36-0101	AnteRoom 36 with Keypad Lock

ANTEROOM 48 Models



SKU	CONFIGURATION
AR48-0002	AnteRoom 48 (Base Model)
AR-0202	AnteRoom 48 with Lever Handle
AR-0102	AnteRoom 48 with Keypad Lock
AR-0012	AnteRoom 48 with Digital Pressure Monitor
AR48-0212	AnteRoom 48 with Lever Handle + Digital Pressure Monitor
AR48-0112	AnteRoom 48 with Keypad Lock + Digital Pressure Monitor

ANTEROOM 48 Models

SKU	CONFIGURATION
AR48DD0002	AnteRoom Double Door (Base Model)
ARDD-0202	AnteRoom Double Door with Lever Handle
ARDD-0102	AnteRoom Double Door with Keypad Lock
ARDD-0012	AnteRoom Double Door with Digital Pressure Monitor
AR48DD-0212	AnteRoom Double Door with Lever Handle + Digital Pressure Monitor
AR48DD-0112	AnteRoom Double Door with Keypad Lock + Digital Pressure Monitor



Photo Gallery | AnteRoom In Action

